

**Publications****\* corresponding author**

- [1] Mahmoud, A.H.; Yang, Y.; **Lill, M. A.\*** Improving Atom-Type Diversity and Sampling in Cosolvent Simulations Using  $\lambda$ -Dynamics. *J. Chem. Theory Comput.* 15, **2019**, 3272-3287.
- [2] Cassell, R. J.; Mores, K. L.; Zerfas, B. L.; Mahmoud, A. H.; **Lill, M. A.**; Trader, D. J.; van Rijn, R. M.\* Rubiscoins are naturally occurring G protein-biased delta opioid receptor peptides. *Eur. Neuropsychopharmacol.* 29, **2019**, 450-456.
- [3] Yang, Y.; Mahmoud, A. H.; **Lill, M. A.\*** Modeling of Halogen-Protein Interactions in Co-Solvent Molecular Dynamics Simulations. *J. Chem. Inf. Model.* 59, **2019**, 38-42.
- [4] Kaur, J.; Soto-Velasquez, M.; Ding, Z.; Ghanbarpour, A.; **Lill, M. A.**; van Rijn, R. M.; Watts, V. J.; Flaherty, D. P.\* Optimization of a 1,3,4-oxadiazole series for inhibition of Ca<sup>2+</sup>/calmodulin-stimulated activity of adenylyl cyclases 1 and 8 for the treatment of chronic pain. *Eur. J. Med. Chem.* 162, **2019**, 568-585.
- [5] Mahmoud, A. H.; Masters, M. R.; Yang, Y.; **Lill, M. A.\*** Elucidating the Multiple Roles of Hydration in Protein-Ligand Binding via Layerwise Relevance Propagation and Big Data Analytics, ChemRxiv **2019**.
- [6] Masters, M. R.; Mahmoud, A. H.; Yang, Y.; **Lill, M. A.\*** Efficient and Accurate Hydration Site Profiling for Enclosed Binding Sites. *J. Chem. Inf. Model.* 58, **2018**, 2183-2188.
- [7] Wang, Y.; Tang, S.; Harvey, K. E.; Salyer, A. E.; Li, T. A.; Rantz, E. K.; **Lill, M. A.**, Hockerman, G. H.\* Molecular Determinants of the Differential Modulation of Cav1.2 and Cav1.3 by Nifedipine and FPL 64176. *Mol. Pharmacol.* 94, **2018**, 973-983.
- [8] Yang, Y.; Abdallah, A. H. A.; **Lill, M. A.\*** Calculation of Thermodynamic Properties of Bound Water Molecules. *Methods Mol. Biol.* 1762, **2018**, 389-402.
- [9] Rana, N.; Conley, J.M.; Soto-Velasquez, M.; León, F.; Cutler, S.J.; Watts, V.J.; **Lill, M.A.\*** Molecular Modeling Evaluation of the Enantiomers of a Novel Adenylyl Cyclase 2 Inhibitor. *J. Chem. Inf. Model.* 57, **2017**, 322-334.
- [10] Yang, Y.; Hu, B.; **Lill, M.A.\*** WATsite2.0 with PyMOL Plugin: Hydration Site Prediction and Visualization. *Methods Mol Biol.* 1611, **2017**, 123-134.
- [11] Yang, Y.; **Lill, M.A.\*** Dissecting the Influence of Protein Flexibility on the Location and Thermodynamic Profile of Explicit Water Molecules in Protein-Ligand Binding. *J. Chem. Theory Comput.* 12, **2016**, 4578-92.
- [12] Ghomi, H.T.; Topp, E.M.; **Lill, M.A.\*** Fibpredictor: A computational method for rapid prediction of amyloid fibril structures. *J. Mol. Model.* 22, **2016**, 206.
- [13] Lill, Y.; Jordan, L.D.; Smallwood, C.R.; Newton, S.M.; **Lill, M.A.**; Klebba, P.E.; Ritchie, K.\* Confined mobility of TonB and FepA in Escherichia coli membranes. *PLoS One* 9, **2016**, e0160862.
- [14] Kingsley, L.J.; Esquivel-Rodríguez, J.; Yang, Y.; Kihara, D.; **Lill M.A.\*** Ranking protein-protein docking results using steered molecular dynamics and potential of mean force calculations. *J. Comput. Chem.* 37, **2016**, 1861-5
- [15] Moorthy, B.S.; Ghomi, H.T.; **Lill, M.A.**; Topp E.M.\* Structural transitions and interactions in the early stages of human glucagon amyloid fibrillation. *Biophys. J.* 108, **2015**, 937-48.
- [16] Kingsley, L.J.; Wilson, G.L.; Essex, M.E.; **Lill, M.A.\*** Combining Structure- and Ligand-Based Approaches to Improve Site of Metabolism Prediction in CYP2C9 Substrates. *Pharm. Res.* 32, **2015**, 986-1001.
- [17] Kingsley L.J., **Lill M.A.\*** Substrate tunnels in enzymes: structure-function relationships and computational methodology. *Proteins* 83, **2015**, 599-611.

- [18] Thompson, J.J.; Tabatabaei Ghomi, H.; **Lill, M.A.\*** Application of information theory to a three-body coarse-grained representation of proteins in the PDB: Insights into the structural and evolutionary roles of residues in protein structure. *Proteins* 82, **2014**, 3450-3465.
- [19] Yang, Y.; Hu, B.; **Lill, M.A.\*** Analysis of factors influencing hydration site prediction based on molecular dynamics simulations. *J. Chem. Inf. Model.* 54, **2014**, 2987-2995.
- [20] Ghomi, H.T.; Thompson, J.J.; **Lill, M.A.\*** Are distance-dependent statistical potentials considering three interacting bodies superior to two-body statistical potentials for protein structure prediction? *J. Bioinform. Comput. Biol.* 12, **2014**, 1450022.
- [21] Kingsley, L.J.; **Lill, M.A.\*** Including ligand-induced protein flexibility into protein tunnel prediction. *J. Comput. Chem.* 35, **2014**, 1748-1756.
- [22] Pedley, A.M.; **Lill, M.A.**; Davisson, V.J.\* Flexibility of PCNA-protein interface accommodates differential binding partners. *PLoS One* 9, **2014**, e102481.
- [23] Kingsley, L.J., **Lill, M.A.\*** Ensemble generation and the influence of protein flexibility on geometric tunnel prediction in cytochrome P450 enzymes. *PLoS One* 9, **2014**, e99408.
- [24] Hu, B.; **Lill, M.A.\*** WATsite: hydration site prediction program with PyMOL interface. *J. Comput. Chem.* 35, **2014**, 1255-1260.
- [25] Hu, B.; **Lill, M.A.\*** PharmDock: a pharmacophore-based docking program. *J. Cheminform.* 6, **2014**, 14.
- [26] Sadeghi, A.; Ghasemi, S.A.; Schaefer, B.; Mohr, S.; **Lill, M.A.**; Goedecker, S.\* Metrics for measuring distances in configuration spaces. *J. Chem. Phys.* 139, **2013**, 184118.
- [27] **Lill, M.A.\*** In silico drug discovery and design. In *In silico drug discovery and design* (Eds. M.A. Lill), Future Science, **2013**, 3-5.
- [28] Wilson, G.L.; **Lill, M.A.\*** Integrating structure- and ligand-based approaches for computer-aided drug design. In *In silico drug discovery and design* (Eds. M.A. Lill), Future Science, **2013**, 191-202.
- [29] Xu, M.; **Lill, M.A.\*** Induced fit docking, and the use of QM/MM methods in docking. *Drug Discov. Today Technol.* 10, **2013**, e411-e418.
- [30] Hu, B.; **Lill, M.A.\*** Exploring the potential of protein-based pharmacophore models in ligand pose prediction and ranking. *J. Chem. Inf. Model.* 53, **2013**, 1179-1190.
- [31] Morrow, M.E.; Kim, M.I.; Ronau, J.A.; Sheedlo, M.J.; White, R.R.; Chaney, J.; Paul, L.N.; **Lill, M.A.**; Artavanis-Tsakonas, K.; Das, C.\* Stabilization of an Unusual Salt Bridge in Ubiquitin by the Extra C-Terminal Domain of the Protease-Associated Deubiquitinase UCH37 as a Mechanism of Its Exo Specificity. *Biochemistry* 52, **2013**, 3564-3578.
- [32] **Lill, M.A.\*** Virtual Screening in Drug Design. *Methods Mol. Biol.* 993, **2013**, 1-12.
- [33] Juncosa, J.I.; Hansen, M.; Bonner, L.A.; Cueva, J.P.; Maglathlin, R.; McCorvy, J.D.; Marona-Lewicka, D.; **Lill, M.A.**; Nichols, D.E.\* Extensive rigid analogue design maps the binding conformation of potent N-benzylphenethylamine 5-HT 2A serotonin receptor agonist ligands. *ACS Chem. Neuro.*, 4, **2013**, 96-109.
- [34] Hu, B.; **Lill, M.A.\*** Protein pharmacophore selection using hydration-site analysis. *J. Chem. Inf. Model.* 52, **2012**, 1046-1060.
- [35] Wilson, G.L.; **Lill, M.A.\*** Towards a realistic representation in surface-based pseudoreceptor modelling: a PDB-wide analysis of binding pockets. *Mol. Inf.* 31, **2012**, 259-271.
- [36] Lill, Y.; Kaserer, W.A.; Newton, S.M.; **Lill, M.A.**; Klebba, P.E.; Ritchie, K.P.\* A single molecule study of molecular mobility in the cytoplasm of *E. coli*. *Phys. Rev. E.* 86, **2012**, 021907.
- [37] Xu, M.; **Lill, M.A.\*** Utilizing experimental data for reducing ensemble size in flexible-protein docking. *J. Chem. Inf. Model.*, 52, **2012**, 187-198.
- [38] Danielson, M.L.; **Lill, M.A.\*** Predicting flexible loop regions that interact with ligands: The challenge of accurate scoring. *Proteins*, 80, **2012**, 246-260.

- [39] Cueva, J.P.; Chemel, B.R.; Juncosa, J.I.; **Lill, M.A.**; Watts, V.J.; Nichols, D.E.\* Analogues of doxanthrine reveal differences between the dopamine D<sub>1</sub> receptor binding properties of chromanoisoquinolines and hexahydrobenzo[*a*]phenanthridines. *Eur. J. Med. Chem.*, 48, **2012**, 97-107.
- [40] Kortagere, S.\*; **Lill, M.A.**; Kerrigan, J. Role of Computational methods in Pharmaceutical Sciences. In *Methods in Molecular Biology: Computational Toxicology* (Eds. S. Kortagere), Springer, 929, **2012**, 21-48.
- [41] **Lill, M.A.**\* Efficient incorporation of protein flexibility and dynamics into molecular docking simulations. *Biochemistry*, 50, **2011**, 6157-6169.
- [42] Wilson, G.L.; **Lill, M.A.**\* Integrating structure-based and ligand-based approaches for computational drug design. *Future Med. Chem.*, 3, **2011**, 735-750.
- [43] **Lill, M.A.**\*; Thompson, J.J. SIE calculations on molecular dynamics trajectories: Increasing the efficiency using systematic frame selection. *J. Chem. Inf. Model.*, 51, **2011**, 2680-2689.
- [44] Cueva, J.P.; Gallardo-Godoy, A.; Juncosa, J.I.; Vidi, P.A.; **Lill, M.A.**; Watts, V.J.; Nichols, D.E.\* Probing the Steric Space at the Floor of the D(1) Dopamine Receptor Orthosteric Binding Domain: 7 $\alpha$ -, 7 $\beta$ -, 8 $\alpha$ -, and 8 $\beta$ -Methyl Substituted Dihydropyridine Analogues. *J. Med. Chem.*, 54, **2011**, 5508-5521.
- [45] Danielson, M.L.; Desai, P.V.; Mohutsky, M.A.; Wrighton, S.A.; **Lill, M.A.**\* Potentially increasing the metabolic stability of drug candidates via computational site of metabolism prediction by CYP2C9: The utility of incorporating protein flexibility via an ensemble of structures. *Eur. J. Med. Chem.*, 46, **2011**, 3953-3963.
- [46] Bonner, L.A.; Laban, U.; Chemel, B.R.; Juncosa, J.I.; **Lill, M.A.**; Watts, V.J.; Nichols, D.E.\* Mapping the Catechol Binding Site in Dopamine D<sub>1</sub> Receptors: Synthesis and Evaluation of Two Parallel Series of Bicyclic Dopamine Analogues. *ChemMedChem*, 6, **2011**, 1024-1040.
- [47] Xu, M.; **Lill, M.A.**\* Significant enhancement of docking sensitivity using implicit ligand sampling. *J. Chem. Inf. Model.*, 51, **2011**, 693-706.
- [48] **Lill, M.A.**\*; Danielson, M.L. Computer-aided drug design platform using PyMOL. *J. Comput.-Aided Mol. Design*, 25, **2011**, 13-19.
- [49] Danielson, M.L.; **Lill, M.A.**\* New computational method for prediction of interacting protein-loop regions. *Proteins* 78, **2010**, 1748-1759.
- [50] Ekins, S.\*; Kortagere, S.; Iyer, M.; Reschly, E.J.; **Lill, M.A.**; Redinbo, M.R.; Krasowski, M.D. Challenges predicting ligand-receptor interactions of promiscuous proteins: The nuclear receptor PXR. *PLoS Comput. Biol.* 5, **2009**, e1000594.
- [51] Spreafico, M.; Ernst, B.; **Lill, M.A.**; Smiesko, M.; Vedani, A.\* Mixed-model QSAR at the glucocorticoid receptor: predicting the binding mode and affinity of psychotropic drugs. *ChemMedChem*, 4, **2009**, 100-109.
- [52] Jiang, Q.\*; Yin, X.; **Lill, M.A.**; Danielson, M.L.; Freiser, H.; Huang, J. Long-chain carboxychromanols, metabolites of vitamin E, are potent inhibitors of cyclooxygenases. *Proc. Natl. Acad. Sci.*, 105, **2008**, 20464-20469.
- [53] **Lill, M.A.**\* Structure-based computational approaches to drug metabolism. In *Computational Structural Biology: Methods and Applications* (Eds. T. Schwede; M.C. Peitsch), World Scientific Publishing Company, **2008**, 573-597.
- [54] Sharifi, N.\*; Hamel, E.; **Lill, M.A.**; Risbood, P.; Kane, C.T. Jr.; Hossain, M.T.; Dalton, J.; Farrar, W.L. A bifunctional colchicinoid that binds the androgen receptor. *Mol. Cancer Ther.* 6, **2007**, 2328-2336.
- [55] Vedani, A.\*; **Lill, M.A.**; Dobler, M. Predicting the toxic potential of drugs and chemicals in silico. *ALTEX* 24, **2007**, 63-66.

- [56] Vedani, A.\*; Zumstein, M.; **Lill, M.A.**; Ernst, B. Simulating  $\alpha/\beta$  selectivity at the human thyroid hormone receptor: Consensus scoring using multi-dimensional QSAR. *ChemMedChem* 2, **2007**, 78-87.
- [57] **Lill, M.A.\*** Multi-dimensional QSAR in drug discovery. *Drug Discov. Today* 12, **2007** 1013-1017.
- [58] **Lill, M.A.\***; Vedani, A. Computational modeling of receptor-mediated toxicity. In *Computational Toxicology: Risk Assessment for Pharmaceutical and Environmental Chemicals* (Eds. S. Ekins), John Wiley & Sons, Inc., **2007**, 315-351.
- [59] **Lill, M.A.\***; Vedani, A. Combining 4D pharmacophore generation and multidimensional QSAR: Modeling ligand binding to the Bradykinin B2 receptor. *J. Chem. Inf. Model.* 46, **2006**, 2135-2145.
- [60] Lill, Y.; **Lill, M.A.**; Fahrenkrog, B.; Schwarz-Herion, K.; Paulillo, S.; Aebi, U.; Hecht, B.\* Single Hepatitis-B virus core capsid binding to individual nuclear pore complexes in HeLa cells. *Biophys. J.* 91, **2006**, 3123-3130.
- [61] **Lill, M.A.\*** Computational pharmaceutical chemistry: Novel technologies for lead optimization and the prediction of ADMET properties. *Chimia* 60, **2006**, 33-36.
- [62] Vedani, A.\*; Dobler, M.; **Lill, M.A.** The challenge of predicting drug toxicity in silico. *Basic Clin. Pharmacol. Toxicol.* 99, **2006**, 195-208.
- [63] **Lill, M.A.\***; Dobler, M.; Vedani, A. In silico prediction of small-molecule binding to cytochrome P450 3A4: Flexible docking combined with multidimensional QSAR. *ChemMedChem* 1, **2006**, 73-81.
- [64] **Lill, M.A.\***; Winiger, F.; Vedani, A.; Ernst, B. The role of induced fit for quantifying ligand binding to the androgen receptor. *J. Med. Chem.* 48, **2005**, 5666-5674.
- [65] Vedani, A.\*; Dobler, M.; **Lill, M.A.** Virtual test kits for predicting harmful effects triggered by drugs and chemicals mediated by specific proteins. *ALTEX* 22, **2005**, 123-134.
- [66] Lill, Y.; Martinez, K. L.; **Lill, M.A.**; Meyer, B.H.; Vogel, H.; Hecht, B.\* Kinetics of the initial steps of G-protein coupled receptor mediated cellular signaling revealed by single molecule imaging. *ChemPhysChem* 6, **2005**, 1633-1640.
- [67] **Lill, M.A.\***; Dobler, M.; Vedani, A. Multi-dimensional QSAR in drug design – Application to GPCRs and nuclear receptors. *Curr. Comp. Aid. Drug Des.* 1, **2005**, 307-324.
- [68] Vedani, A.\*; Dobler, M.; **Lill, M.A.** Combining protein modeling and 6D-QSAR. Simulating the binding of structurally diverse ligands to the estrogen receptor. *J. Med. Chem.* 48, **2005**, 3700-3703.
- [69] **Lill, M.A.\***; Dobler, M.; Vedani, A. In silico prediction of receptor-mediated environmental toxic phenomena — Application towards endocrine disruption. *SAR QSAR Environ. Res.* 16, **2005**, 149-169.
- [70] Vedani, A.\*; Dobler, M.; **Lill, M.A.** In silico prediction of harmful effects triggered by drugs and chemicals. *Toxicol. Appl. Pharm.* 207, **2005**, S398-S407.
- [71] Vedani, A.\*; Dobler M.; Dollinger H.; Hasselbach, K.-M.; Birke F; **Lill, M.A.** Novel ligands for the chemokine receptor-3 (CCR3): A receptor-modeling study based on 5D-QSAR. *J. Med. Chem.* 48, **2005**, 1515-1527.
- [72] **Lill, M.A.\***; Vedani, A.; Dobler, M. Raptor – combining dual-shell representation, induced-fit simulation and hydrophobicity scoring in receptor modeling: Application towards the simulation of structurally diverse ligand sets. *J. Med. Chem.* 47, **2004**, 6174-6186.
- [73] Olkhova, E.; Hutter, M.; **Lill, M.A.**; Helms, V.; Michel, H.\* Possible water networks in cytochrome c oxidase from paracoccus denitrificans investigated by molecular dynamics simulations. *Biophys. J.* 86, **2004**, 1873-1889.
- [74] Dobler, M.\*; **Lill, M.A.**; Vedani, A. From crystal structures and their analysis to the in silico prediction of toxic phenomena. *Helv. Chim. Acta* 86, **2003**, 1554-1568.

- [75] Vedani, A.\*; Dobler, M.; **Lill, M.A.** Internet laboratory for predicting harmful effects triggered by drugs and chemicals – A progress report. *ALTEX* 20, **2003**, 85-91.
- [76] **Lill, M.A.\*** Predictive toxicology: in silico modelling and expert systems. *ALTEX* 20, **2003**, 104-105.
- [77] **Lill, M.A.**; Helms, V.\* Proton shuttle in green fluorescent protein studied by dynamic simulations. *Proc. Natl. Acad. Sci.* 99, **2002**, 2778-2781.
- [78] Helms, V.\*; **Lill, M.A.**; Gorba, C. Developments in Mathematical and Experimental Physics, *Kluwer Academic Press*, Computer Simulation Meets Molecular Biology (2002).
- [79] **Lill, M.A.**; Helms, V.\* Molecular dynamics simulation of proton transport with quantum mechanically derived proton hopping rates (Q-HOP MD). *J. Chem. Phys.* 115, **2001**, 7993-8005.
- [80] **Lill, M.A.**; Helms, V.\* Reaction rates for proton transfer over small barriers and connection to transition state theory. *J. Chem. Phys.* 115, **2001**, 7985-7992.
- [81] **Lill, M.A.**; Helms, V.\* Compact parameter set for fast estimation of proton transfer rates. *J. Chem. Phys.* 114, **2001**, 1125-1132.
- [82] **Lill, M.A.**; Hutter, M. C.; Helms, V.\* Accounting for environmental effects in ab initio calculations of proton transfer barriers. *J. Phys. Chem.* 104, **2000**, 8283-8289.
- [83] Marten, J.; Pschiwul, T.; **Lill, M.A.**; Reinhard, P.-G.; Toepffer, C.; Zwicknagel, G.\* Molecular dynamics simulations of microfields in strongly correlated plasmas. *J. Phys. IV France* 10, **2000**, 497-500.

